

Client: Example Client ABC123
 123 Test Drive
 Salt Lake City, UT 84108
 UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 6/16/1951
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Prostatic Acid Phosphatase

ARUP test code 0070120

Prostatic Acid Phosphatase

4.8 ng/mL H (Ref Interval: 0.0-3.5)

INTERPRETIVE INFORMATION: Prostatic Acid Phosphatase

The Siemens Immulite 2000 PAP chemiluminescent immunoassay method is used. Results obtained with different assay methods or kits cannot be used interchangeably. PAP may be of some use in predicting disease recurrence or monitoring treatment effects. It has little clinical utility as a screening test for prostate cancer. Prostate specific antigen (PSA) is the preferred test for prostate cancer screening, monitoring, and predicting outcomes. Benign prostatic hyperplasia, prostate massage, and prostatic infarction may result in elevated PAP concentrations. The PAP assay value, regardless of level, should not be interpreted as absolute evidence for the presence or absence of malignant disease.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Prostatic Acid Phosphatase	19-220-104930	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical