

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 4/30/1988
Sex: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Soluble Transferrin Receptor

ARUP test code 0070283

Soluble Transferrin Receptor

3.6 mg/L (Ref Interval: 1.9-4.4)

INTERPRETIVE INFORMATION: Soluble Transferrin Receptor
People of African descent and those residing at 5200 feet (1600 meters) above sea level were found to have a 6% higher normal value. These differences were additive. Reference intervals have not been established for pregnant females, patients under 18 years of age, and recent or frequent blood donors.

Serum soluble transferrin receptor increases in iron deficiency and is usually unaffected by chronic disease states. In general, to increase sensitivity and specificity, the measurement of serum soluble transferrin receptor should be performed in combination with other tests of iron status, including ferritin, TIBC, and serum iron.
(See Table Below).

Analyte	Tests for Changes in:	Iron Def. Anemia	Anemia of Chronic Disease	Combined Iron Def. and anemia of Chronic Dz
Ferritin	Fe Stores	Low	High	Normal or High
TIBC	Fe Status	High	Low	Normal or High
Serum Fe	Fe Status	Low	Low	Low
STfR	Fe Status	High	Normal	High

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Soluble Transferrin Receptor	21-364-136196	12/30/2021 2:03:00 PM	12/31/2021 6:05:24 PM	12/31/2021 8:35:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: