

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/31/1999
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Inhibin B

ARUP test code 0070413

Inhibin B 202 pg/mL (Ref Interval: 47-383)

INTERPRETIVE INFORMATION: Inhibin B

MALE:

Less than 15 days 68-373 pg/mL
15 days-6 months 42-516 pg/mL
7 months-7 years 24-300 pg/mL
8-30 years 47-383 pg/mL
31-72 years 10-357 pg/mL

FEMALE:

1 day- 12 years 1-182 pg/mL
13-41 years (regular cycle, follicular phase).. 8-223 pg/mL
42-51 years (regular cycle, follicular phase).. 1-107 pg/mL
51-76 years (postmenopausal) 1-11 pg/mL

This test is performed using the ANSH ultra-sensitive Inhibin B ELISA kit. Values obtained with different methodologies or kits cannot be used interchangeably.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Inhibin B	21-085-118873	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: