

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 1/18/1940  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Acetylcholine Receptor Binding Antibody**

ARUP test code 0080009

Acetylcholine Binding Antibody

0.0 nmol/L (Ref Interval: 0.0-0.4)

INTERPRETIVE INFORMATION: Acetylcholine Binding Ab

Negative ..... 0.0 - 0.4 nmol/L  
Positive ..... 0.5 nmol/L or greater

Approximately 85-90 percent of patients with myasthenia gravis (MG) express antibodies to the acetylcholine receptor (AChR), which can be divided into binding, blocking, and modulating antibodies. Binding antibody can activate complement and lead to loss of AChR. Blocking antibody may impair binding of acetylcholine to the receptor, leading to poor muscle contraction. Modulating antibody causes receptor endocytosis resulting in loss of AChR expression, which correlates most closely with clinical severity of disease. Approximately 10-15 percent of individuals with confirmed myasthenia gravis have no measurable binding, blocking, or modulating antibodies.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Acetylcholine Binding Antibody	24-006-400396	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: