

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 2/24/2019
Gender: Unknown
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Pyridinoline and Deoxypyridinoline by HPLC

ARUP test code 0080342

Creatinine, Urine 189 mg/dL

PYD and DPD Interpretation

Normal
INTERPRETIVE INFORMATION: Pyridinoline and Deoxypyridinoline
Pyridinoline and Deoxypyridinoline excretion follows a circadian rhythm. Reference intervals have been established on first morning void urine samples.
Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

Pyridinoline 281.9 umol/mol CRT (Ref Interval: 108.0-400.0)

Deoxypyridinoline 78.5 umol/mol CRT (Ref Interval: 19.0-94.0)

DPYR/PYD Ratio **0.28 ratio H** (Ref Interval: 0.18-0.24)

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Creatinine, Urine	20-056-120375	2/25/2020 3:59:00 PM	2/25/2020 4:02:06 PM	3/10/2020 9:40:00 AM
PYD and DPD Interpretation	20-056-120375	2/25/2020 3:59:00 PM	2/25/2020 4:02:06 PM	3/10/2020 9:40:00 AM
Pyridinoline	20-056-120375	2/25/2020 3:59:00 PM	2/25/2020 4:02:06 PM	3/10/2020 9:40:00 AM
Deoxypyridinoline	20-056-120375	2/25/2020 3:59:00 PM	2/25/2020 4:02:06 PM	3/10/2020 9:40:00 AM
DPYR/PYD Ratio	20-056-120375	2/25/2020 3:59:00 PM	2/25/2020 4:02:06 PM	3/10/2020 9:40:00 AM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 20-056-120375
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 1/19/2021 12:47:32 PM
4848