

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 8/19/1986
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Ehlers-Danlos Syndrome Type VI Screen

ARUP test code 0080351

EDS6 Interpretation

See Note

In this sample the deoxy pyridinoline/pyridinoline ratio, although mildly increased, is NOT consistent with collagen lysyl hydroxylase deficiency (Ehlers-Danlos Syndrome Type VIA/Kyphoscoliotic type).

INTERPRETIVE INFORMATION: Ehlers-Danlos Syndrome Type VI Screen

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

Pyridinoline, pmol/mL

1178.00

Deoxy pyridinoline, pmol/mL

516.40

EDS6 Ratio

0.44 ratio H (Ref Interval: 0.23-0.29)

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
EDS6 Interpretation	19-276-132612	10/3/2019 2:33:00 PM	10/5/2019 11:05:41 AM	10/14/2019 11:54:00 AM
Pyridinoline, pmol/mL	19-276-132612	10/3/2019 2:33:00 PM	10/5/2019 11:05:41 AM	10/14/2019 11:54:00 AM
Deoxypyridinoline, pmol/mL	19-276-132612	10/3/2019 2:33:00 PM	10/5/2019 11:05:41 AM	10/14/2019 11:54:00 AM
EDS6 Ratio	19-276-132612	10/3/2019 2:33:00 PM	10/5/2019 11:05:41 AM	10/14/2019 11:54:00 AM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 19-276-132612
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 1/19/2021 12:47:35 PM
4848