

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/8/1966
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Cancer Antigen 27.29

ARUP test code 0080392

Cancer Antigen 27.29

863.5 U/mL H (Ref Interval: <=39.0)

INTERPRETIVE INFORMATION: Cancer Antigen 27.29

The CA 27.29 assay is intended for use in monitoring: 1) disease progression and/or response to therapy in patients with metastatic disease, and 2) disease recurrence in patients treated previously for stages II or III breast carcinoma who are clinically free of the disease. Serial testing in patients who are clinically free of disease should be used in conjunction with other clinical methods for early detection of cancer recurrence.

Limitations: Patients with confirmed breast carcinoma frequently have CA 27.29 assay values in the same range as healthy individuals. Elevations may also be observed in patients with non malignant disease. Results of this test must always be interpreted in the context of morphologic and other relevant data, and should not be used alone for a diagnosis of malignancy.

Methodology: Siemens Atellica IM BR 27.29 (BR) chemiluminescent immunoassay was used. Results obtained with different assay methods or kits cannot be used interchangeably.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Cancer Antigen 27.29	24-342-101888	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: