

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 5/4/1966  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Vitamin A (Retinol), Serum or Plasma**

ARUP test code 0080525

Vitamin A (Retinol) 0.43 mg/L (Ref Interval: 0.30-1.20)

Vitamin A (Retinyl Palmitate) <0.02 mg/L (Ref Interval: 0.00-0.10)

Vitamin A, Ser/Pla - Interpretation Normal

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Vitamin A (Retinol)	21-121-400680	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Vitamin A (Retinyl Palmitate)	21-121-400680	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Vitamin A, Ser/Pla - Interpretation	21-121-400680	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: