

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 6/12/1977
Sex: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Hyaluronic Acid, Serum

ARUP test code 0081138

Hyaluronic Acid, Serum

22 ng/mL (Ref Interval: 0-54)

INTERPRETIVE INFORMATION: Hyaluronic Acid, Serum

This test is performed using the Corgenix Hyaluronic Acid test kit. Results obtained with different assay methods or kits cannot be used interchangeably.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Hyaluronic Acid, Serum	22-019-150250	1/19/2022 4:25:00 PM	1/21/2022 8:08:34 PM	1/25/2022 6:48:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 22-019-150250
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 9/14/2022 6:55:32 AM