

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 7/17/1977  
**Sex:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 01/01/2017 12:34

**Hepatocellular Carcinoma Tumor Marker Panel**

ARUP test code 0081326

Alpha Fetoprotein Total	4 ng/mL	(Ref Interval: 0-15)
Alpha Fetoprotein L3 Pct	<0.5 %	(Ref Interval: 0.0-9.9)
<p><b>INTERPRETIVE INFORMATION: Alpha Fetoprotein L3 Percent</b></p> <p>The uTASwako method is used. Results obtained with different assay methods or kits cannot be used interchangeably.</p> <p>The AFP-L3 Percent assay is intended as a risk assessment for the development of hepatocellular carcinoma in patients with chronic liver diseases. Patients with elevated serum AFP-L3 percent should be more intensely evaluated for evidence of hepatocellular carcinoma since elevated values have been shown to be associated with a seven-fold increase in the risk for developing hepatocellular carcinoma within 21 months. Results cannot be interpreted as absolute evidence of the presence or absence of malignant disease. For pregnant females, the result is not interpretable as a tumor marker.</p>		
Des-gamma-carboxy Prothrombin	0.5 ng/mL	(Ref Interval: 0.0-7.4)
<p><b>INTERPRETIVE INFORMATION: Des-gamma-carboxy Prothrombin</b></p> <p>The uTASwako method is used. Results obtained with different assay methods or kits cannot be used interchangeably. The des-gamma-carboxy prothrombin (DCP) assay is intended as a risk assessment for the development of hepatocellular carcinoma in patients with chronic liver diseases. Elevated DCP values have been shown to be associated with an increased risk for developing hepatocellular carcinoma. Patients with elevated serum DCP should be more intensely evaluated for evidence of hepatocellular carcinoma. Results cannot be interpreted as absolute evidence of the presence or absence of malignant disease.</p> <p>Medication containing vitamin K preparations may cause a negative bias of the DCP values. Medication containing vitamin K antagonist or antibiotic may cause a positive bias of the DCP values.</p>		

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at:

**ARUP LABORATORIES | 800-522-2787 | aruplab.com**  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 22-028-113090  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 1 of 2 | Printed: 9/14/2022 6:55:51 AM

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Alpha Fetoprotein Total	22-028-113090	1/28/2022 1:07:00 PM	1/28/2022 8:16:49 PM	1/31/2022 1:27:00 PM
Alpha Fetoprotein L3 Pct	22-028-113090	1/28/2022 1:07:00 PM	1/28/2022 8:16:49 PM	1/31/2022 1:27:00 PM
Des-gamma-carboxy Prothrombin	22-028-113090	1/28/2022 1:07:00 PM	1/28/2022 8:16:49 PM	1/31/2022 1:27:00 PM

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 22-028-113090  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 2 of 2 | Printed: 9/14/2022 6:55:51 AM