

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 4/12/2005
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Mucopolysaccharides Screen - Electrophoresis and Quantitation, Urine

ARUP test code 0081352

Mucopolysaccharides mg/mmol CRT

2.2 (Ref Interval: 0.0-7.1)

REFERENCE INTERVAL: Mucopolysaccharides mg/mmol CRT

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

MPS Electrophoresis

Normal

INTERPRETIVE DATA: MPS Screen, Urine

Mucopolysaccharides (Glycosaminoglycans) include: Keratan Sulfate, Heparan Sulfate, Dermatan Sulfate, and Chondroitin Sulfates 4 and 6. The excretion of Heparan Sulfate is variable. A normal mucopolysaccharides screen does not exclude Sanfilippo Syndrome (Mucopolysaccharidosis Type III).

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

H=High, L=Low, *=Abnormal, C=Critical



VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Mucopolysaccharides mg/mmol CRT	22-270-149645	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
MPS Electrophoresis	22-270-149645	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical