

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 8/4/2020  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Mucopolysaccharides Screen - Electrophoresis and Quantitation, Urine**

ARUP test code 0081352

Mucopolysaccharides mg/mmol CRT 45.6 (Ref Interval: 14.6-47.8)  
REFERENCE INTERVAL: Mucopolysaccharides mg/mmol CRT  
Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).  
Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

**MPS Electrophoresis**

Normal  
INTERPRETIVE DATA: MPS Screen, Urine  
Mucopolysaccharides (Glycosaminoglycans) include: Keratan Sulfate, Heparan Sulfate, Dermatan Sulfate, and Chondroitin Sulfates 4 and 6. The excretion of Heparan Sulfate is variable. A normal mucopolysaccharides screen does not exclude Sanfilippo Syndrome (Mucopolysaccharidosis Type III).  
Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Mucopolysaccharides mg/mmol CRT	20-267-400220	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
MPS Electrophoresis	20-267-400220	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: