

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 7/31/1985
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Amikacin, Random Level

ARUP test code 0090015

Amikacin, Random

7.9 ug/mL

INTERPRETIVE INFORMATION: Amikacin, Random Level

Trough Levels

Optimal 4.0-8.0 ug/mL
Toxic 8.1 ug/mL or greater

Peak Levels

Optimal 20.0-30.0 ug/mL
Toxic 30.1 ug/mL or greater

Performed At: U HOSPITAL LAB (ARUP)
UNIVERSITY HOSPITAL
CLINICAL LABORATORY
SALT LAKE CITY, UT 84132
Medical Director: LAUREN NICHOLE PEARSON, DO
CLIA Number: 46D0678613

INTERPRETIVE INFORMATION: Amikacin, Random Level

Trough Levels

Optimal 4.0-8.0 ug/mL
Toxic 8.1 ug/mL or greater

Peak Levels

Optimal 20.0-30.0 ug/mL
Toxic 30.1 ug/mL or greater

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Amikacin, Random	22-257-701139	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: