

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 7/17/1988  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Clonazepam**

ARUP test code 0090055

Clonazepam

**19 ng/mL L (Ref Interval: 20-70)**

INTERPRETIVE INFORMATION: Clonazepam

Dose-Related Range:  
20-70 ng/mL - Dose (Adult) 1-8 mg/d  
Toxic: Greater than 80 ng/mL

Adverse effects may include drowsiness, headache, fatigue and ataxia.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Clonazepam	24-200-125451	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**