

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/5/1989
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Protriptyline, Serum or Plasma

ARUP test code 0090106

Protriptyline, SP

116 ng/mL (Ref Interval: 70-240)

INTERPRETIVE INFORMATION: Protriptyline, SP

Therapeutic Range: 70-240 ng/mL
Toxic: Greater than 400 ng/mL

Toxic concentrations may cause hypotension, cardiac abnormalities, seizures and coma.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Protriptyline, SP	23-275-132427	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: