

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/23/1985
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Gentamicin, Random Level

ARUP test code 0090130

Gentamicin, Random

1.8 ug/mL
INTERPRETIVE INFORMATION: Gentamicin, Random Level
THERAPEUTIC RANGE: Gentamicin, Random Level
Trough Levels:
 Optimal.....0.5-2.0 ug/mL
Peak Levels:
 Optimal..... 5-10 ug/mL
Performed At: U HOSPITAL LAB (ARUP)
UNIVERSITY HOSPITAL
CLINICAL LABORATORY
SALT LAKE CITY, UT 84132
Medical Director: LAUREN NICHOLE PEARSON, DO
CLIA Number: 46D0678613

INTERPRETIVE INFORMATION: Gentamicin, Random Level
THERAPEUTIC RANGE: Gentamicin, Random Level
Trough Levels:
 Optimal.....0.5-2.0 ug/mL
Peak Levels:
 Optimal..... 5-10 ug/mL

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Gentamicin, Random	22-154-700316	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: