

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/29/1972
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Imipramine and Desipramine, Serum or Plasma

ARUP test code 0090157

Imipramine, SP	102 ng/mL	
Desipramine, SP	130 ng/mL	(Ref Interval: 100-300)
Imipramine/Desipramine Total, SP	232 ng/mL	(Ref Interval: 150-300)

INTERPRETIVE INFORMATION: Imipramine + Desipramine

Therapeutic Range:
Total (Imipramine and Desipramine): 150-300 ng/mL
Toxic: Greater than 500 ng/mL

Toxic concentrations may cause anticholinergic effects, drowsiness and cardiac abnormalities.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Imipramine, SP	23-290-128636	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Desipramine, SP	23-290-128636	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Imipramine/Desipramine Total, SP	23-290-128636	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: