

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 11/17/1984
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Amitriptyline and Nortriptyline, Serum or Plasma

ARUP test code 0090158

Amitriptyline, SP	329 ng/mL		
Nortriptyline, SP	193 ng/mL	H	(Ref Interval: 50-150)
Amitriptyline/Nortriptyline, Total, SP	522 ng/mL	H	(Ref Interval: 95-250)

INTERPRETIVE INFORMATION: Amitriptyline/Nortriptyline, Total, SP

Therapeutic Range:
Total drug (Amitriptyline and Nortriptyline): 95-250 ng/mL
Toxic: Greater than 500 ng/mL

Toxic concentrations may cause anticholinergic effects, cardiac abnormalities and seizures.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Amitriptyline, SP	23-290-133485	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Nortriptyline, SP	23-290-133485	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Amitriptyline/Nortriptyline, Total, SP	23-290-133485	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: