

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 9/15/1972
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Tobramycin, Random Level

ARUP test code 0090270

Tobramycin

3.4 ug/mL

INTERPRETIVE INFORMATION: Tobramycin, Random Level

Trough Levels

Optimal 0.5-2.0 ug/mL

Toxic 2.1 ug/mL or greater

Peak Levels

Optimal 5.0-10.0 ug/mL

Toxic 12.1 ug/mL or greater

Performed At: U HOSPITAL LAB (ARUP)

UNIVERSITY HOSPITAL

CLINICAL LABORATORY

SALT LAKE CITY, UT 84132

Medical Director: LAUREN NICHOLE PEARSON, DO

CLIA Number: 46D0678613

INTERPRETIVE INFORMATION: Tobramycin, Random Level

Trough Levels

Optimal 0.5-2.0 ug/mL

Toxic 2.1 ug/mL or greater

Peak Levels

Optimal 5.0-10.0 ug/mL

Toxic 12.1 ug/mL or greater

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Tobramycin	23-047-700827	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical