

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 11/13/1973  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Amikacin, Trough Level**

ARUP test code 0090300

Amikacin Trough 4.1 ug/mL (Ref Interval: 4.0-8.0)  
REFERENCE INTERVAL: Amikacin Trough  
  
Optimal: 4.0-8.0 ug/mL  
Toxic: 8.1 ug/mL or greater  
Performed At: U HOSPITAL LAB (ARUP)  
UNIVERSITY HOSPITAL  
CLINICAL LABORATORY  
SALT LAKE CITY, UT 84132  
Medical Director: LAUREN NICHOLE PEARSON, DO  
CLIA Number: 46D0678613  
  
REFERENCE INTERVAL: Amikacin Trough  
  
Optimal: 4.0-8.0 ug/mL  
Toxic: 8.1 ug/mL or greater

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Amikacin Trough	23-230-701203	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at: