
Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB 11/21/1994
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 18-216-100413
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 2 | Printed: 12/29/2020 2:56:02 PM
4848

Drugs of Abuse Screen - Stimulant Amines - Urine

ARUP test code 0090302

Stimulant Amines Detection

Negative (Ref Interval: Negative)

Performed at: ARUP - University Hospital Laboratory 50 N. Medical Drive Salt Lake City UT 84132

INTERPRETIVE INFORMATION: Drugs of Abuse Screen - Stimulant Amines - Urine

This test detects d-amphetamine, d-methamphetamine, methylenedioxyamphetamine (MDA), and methylenedioxymethamphetamine (MDMA) in human urine. It does not detect l-ephedrine, d-ephedrine, d-pseudoephedrine, l-pseudoephedrine, and phenylpropanolamine. Results greater than or equal to the 1000 ng/mL cutoff are positive. This is a screening test, results are unconfirmed and should be used for medical (treatment) purposes only.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Stimulant Amines Detection	18-216-100413	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: