

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 7/7/1960  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Warfarin Quantitative, Serum or Plasma**

ARUP test code 0090805

Warfarin Quantitative, Serum or Plasma

1.4 mcg/mL  
Serum or Plasma  
Reporting Limit: 0.20 mcg/mL

Synonym(s): Coumadin(R)  
The dosage of warfarin is best adjusted based on the International Normalized Ratio (INR) for prothrombin time. Peak plasma concentrations following single 10 mg doses averaged 0.6 mcg/mL for both R-warfarin and S-warfarin (combined concentration 1.2 mcg/mL). This test is not chiral specific and does not distinguish between the R and S enantiomers of warfarin. The blood to plasma ratio is approximately 0.5.  
Analysis by High Performance Liquid Chromatography/Tandem Mass Spectrometry (LC-MS/MS)  
This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.  
Testing performed at NMS Labs, Inc.  
200 Welsh Road  
Horsham, PA 19044-2208  
CLIA 39D0197898

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Warfarin Quantitative, Serum or Plasma	22-195-129776	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at: