

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 8/9/1995
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Flunitrazepam and Metabolites, Serum or Plasma, Screen with Reflex to Confirmation/Quantitation

ARUP test code 0091116

Flunitrazepam, S/P

See note ng/mL
Serum or Plasma
Reporting Limit: 2.0 ng/mL

Synonym(s): Rohypnol(R)
Flunitrazepam is present in plasma at a concentration of approximately 1.5 ng/mL at 24 hours after a single 2 mg oral dose.
Analysis by High Performance Liquid Chromatography/
Tandem Mass Spectrometry (LC-MS/MS)

Norflunitrazepam, S/P

See note ng/mL
Serum or Plasma
Reporting Limit: 2.0 ng/mL

Synonym(s): Flunitrazepam Metabolite
Norflunitrazepam is present in plasma at a concentration of approx. 1 ng/mL at 24 hours after a single 2 mg oral dose of Flunitrazepam.
Analysis by High Performance Liquid Chromatography/
Tandem Mass Spectrometry (LC-MS/MS)

7-Amino Flunitrazepam, S/P

See note ng/mL

H=High, L=Low, *=Abnormal, C=Critical

Serum or Plasma
Reporting Limit: 2.0 ng/mL

Synonym(s): Flunitrazepam Metabolite
Comment:
Based on this screening result, confirmation testing was performed. Refer to the confirmation test result(s).
7-Amino Flunitrazepam is present in plasma at a concentration of approx. 0.8 ng/mL at 24 hours after a single 2 mg oral dose of Flunitrazepam.
Analysis by High Performance Liquid Chromatography/Tandem Mass Spectrometry (LC-MS/MS)
This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.
Testing performed at NMS Labs, Inc.
200 Welsh Road
Horsham, PA 19044-2208
CLIA 39D0197898

Flunitrazepam and Metabolite Confirmation/Quantitation, Serum or Plasma

ARUP test code 0091594

Flunitrazepam Confirmation, S/P

500 ng/mL
Serum or Plasma
Reporting Limit: 2.0 ng/mL

Synonym(s): Rohypnol(R)
Flunitrazepam is present in plasma at a concentration of approximately 1.5 ng/mL at 24 hours after a single 2 mg oral dose.
Analysis by High Performance Liquid Chromatography/Tandem Mass Spectrometry (LC-MS/MS)

Norflunitrazepam Confirmation, S/P

600 ng/mL
Serum or Plasma
Reporting Limit: 2.0 ng/mL

Synonym(s): Flunitrazepam Metabolite
Norflunitrazepam is present in plasma at a concentration of approx. 1 ng/mL at 24 hours after a single 2 mg oral dose of Flunitrazepam.
Analysis by High Performance Liquid Chromatography/Tandem Mass Spectrometry (LC-MS/MS)

7-Amino Flunitrazepam Confirmation, S/P

700 ng/mL

H=High, L=Low, *=Abnormal, C=Critical

Serum or Plasma
Reporting Limit: 2.0 ng/mL

Synonym(s): Flunitrazepam Metabolite
7-Amino Flunitrazepam is present in plasma at a concentration of approx. 0.8 ng/mL at 24 hours after a single 2 mg oral dose of Flunitrazepam.
Analysis by High Performance Liquid Chromatography/Tandem Mass Spectrometry (LC-MS/MS)
This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.
Digital data review may have taken place remotely by qualified NMS staff utilizing a secure VPN connection for some or all of the reported results. This is in accordance with and follows CLIA regulations.
Testing performed at NMS Labs, Inc.
200 Welsh Road
Horsham, PA 19044-2208
CLIA 39D0197898

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Flunitrazepam, S/P	24-057-107718	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Norflunitrazepam, S/P	24-057-107718	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
7-Amino Flunitrazepam, S/P	24-057-107718	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Flunitrazepam Confirmation, S/P	24-057-107718	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Norflunitrazepam Confirmation, S/P	24-057-107718	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
7-Amino Flunitrazepam Confirmation, S/P	24-057-107718	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: