

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 9/26/1991
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Silver, Urine

ARUP test code 0091228

Silver, Urine

None Det mcg/L

Urine

Reporting Limit: 2.0 mcg/L

Normally: Less than 2 mcg/L.

Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)

Specimens for elemental testing should be collected in certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly. It is recommended that unexpected elevated results be verified by testing another specimen in a trace metal free container.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.

Testing performed at NMS Labs, Inc.

200 Welsh Road
Horsham, PA 19044-2208
CLIA 39D0197898

VERIFIED/REPORTED DATES

| Procedure | Accession | Collected | Received | Verified/Reported |
|---------------|---------------|------------------|------------------|-------------------|
| Silver, Urine | 23-208-137976 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical