

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 1/12/1981
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Diuretic Screen, Urine

ARUP test code 0091258

Diuretic Screen

NEGATIVE
Performed by: MEDTOX LABORATORIES
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
walker, karla j

Benzthiazide

NEGATIVE
Performed by: MEDTOX LABORATORIES
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
walker, karla j

Bumetanide

NEGATIVE
Performed by: MEDTOX LABORATORIES
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
walker, karla j

Chlorothiazide

NEGATIVE
Performed by: MEDTOX LABORATORIES
402 WEST COUNTY ROAD D
ST PAUL, MN 55112
walker, karla j

Chlorthalidone

NEGATIVE

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 23-134-105841
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 3 | Printed: 6/1/2023 12:07:12 PM
4848

Performed by: MEDTOX LABORATORIES
402 WEST COUNTY ROAD D
ST PAUL, MN 55112

walker, karla j

Furosemide

NEGATIVE

Performed by: MEDTOX LABORATORIES
402 WEST COUNTY ROAD D
ST PAUL, MN 55112

walker, karla j

Hydrochlorothiazide

NEGATIVE

Performed by: MEDTOX LABORATORIES
402 WEST COUNTY ROAD D
ST PAUL, MN 55112

walker, karla j

Hydroflumethiazide

NEGATIVE

Performed by: MEDTOX LABORATORIES
402 WEST COUNTY ROAD D
ST PAUL, MN 55112

walker, karla j

Metolazone

NEGATIVE

Qualitative diuretic screen includes:
benzthiazide, bumetanide, chlorothiazide,
chlorthalidone, furosemide, hydrochlorothiazide,
hydroflumethiazide, and metolazone.

This test was developed and its performance characteristics
determined by Labcorp. It has not been cleared or approved
by the Food and Drug Administration.

Performed by: MEDTOX LABORATORIES
402 WEST COUNTY ROAD D
ST PAUL, MN 55112

walker, karla j

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Diuretic Screen	23-134-105841	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Benzthiazide	23-134-105841	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Bumetanide	23-134-105841	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Chlorothiazide	23-134-105841	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Chlorthalidone	23-134-105841	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Furosemide	23-134-105841	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Hydrochlorothiazide	23-134-105841	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Hydroflumethiazide	23-134-105841	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Metolazone	23-134-105841	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 23-134-105841
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 3 of 3 | Printed: 6/1/2023 12:07:12 PM
4848