

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 3/13/1992

**Gender:** Female

**Patient Identifiers:** 01234567890ABCD, 012345

**Visit Number (FIN):** 01234567890ABCD

**Collection Date:** 01/01/2017 12:34

**Barium Quantitative, Serum or Plasma**

ARUP test code 0091282

Barium Quantitative, Serum or Plasma

10 mcg/L

Serum or Plasma

Reporting Limit: 5.0 mcg/L

Reported Normal: Less than 10 mcg/L.

NMS Labs has demonstrated that certain collection tubes can artifactually increase measured barium concentrations rendering reported concentrations difficult to interpret.

Analysis by Inductively Coupled Plasma/Mass Spectrometry(ICP/MS)

Disclaimer: Specimens for elemental testing should be collected in certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly. It is recommended that unexpected elevated results be verified by testing another specimen.

Testing performed at NMS Labs, Inc.

3701 Welsh Road

Willow Grove, PA 19090-2910

CLIA 39D0197898

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Barium Quantitative, Serum or Plasma	17-230-104684	8/18/2017 10:34:00 AM	8/29/2017 9:52:19 AM	8/29/2017 12:21:00 PM

END OF CHART

H - high L - low \* - abnormal C - critical