

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 7/26/1995
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Barium Quantitative, Serum or Plasma

ARUP test code 0091282

Barium Quantitative, Serum or Plasma

None Det mcg/L

Serum or Plasma
Reporting Limit: 5.0 mcg/L

Reported Normal: Less than 10 mcg/L.
NMS Labs has demonstrated that certain collection tubes can artifactually increase measured barium concentrations rendering reported concentrations difficult to interpret.
Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)
Specimens for elemental testing should be collected in certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly. It is recommended that unexpected elevated results be verified by testing another specimen in a trace metal free container.
This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.
Testing performed at NMS Labs, Inc.
200 Welsh Road
Horsham, PA 19044-2208
CLIA 39D0197898

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Barium Quantitative, Serum or Plasma	23-272-135525	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 23-272-135525
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 12/22/2023 9:14:17 AM
4848