



Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/6/1976
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Vanadium Quantitative, Serum or Plasma

ARUP test code 0091286

Vanadium Quantitative, Serum or Plasma 1.2 mcg/L
Serum or Plasma
Reporting Limit: 1.0 mcg/L
Normally less than 2.0 mcg/L.
Analysis by Inductively Coupled Plasma/Mass Spectrometry (ICP/MS)
Specimens for elemental testing should be collected in certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly. It is recommended that unexpected elevated results be verified by testing another specimen.
This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.
Testing performed at NMS Labs, Inc.
200 Welsh Road
Horsham, PA 19044-2208
CLIA 39D0197898

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Vanadium Quantitative, Serum or Plasma	21-272-401773	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical