

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 8/15/2021
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Diazoxide Quantitative, Serum or Plasma

ARUP test code 0091301

Diazoxide Quant, Serum/Plasma

24000 ng/mL

Serum or Plasma
Reporting Limit: 1000 ng/mL
Synonym(s): Proglycem(R); Hyperstat(R)
Plateau plasma concentrations following 300 mg intravenous injection of diazoxide ranged from 15000 - 25000 ng/mL.
Analysis by High Performance Liquid Chromatography/Tandem Mass Spectrometry (LC-MS/MS)
This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.
Testing performed at NMS Labs, Inc.
200 Welsh Road
Horsham, PA 19044-2208
CLIA 39D0197898

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Diazoxide Quant, Serum/Plasma	21-347-105996	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: