



Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 5/24/2012
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Diazoxide Quantitative, Serum or Plasma

ARUP test code 0091301

Diazoxide Quant, Serum/Plasma

None Det ng/mL
Serum or Plasma
Reporting Limit: 1000 ng/mL

Synonym(s): Proglycem(R); Hyperstat(R)
Plateau plasma concentrations following 300 mg intravenous injection of diazoxide ranged from 15000-25000 ng/mL.
Analysis by High Performance Liquid Chromatography/Tandem Mass Spectrometry (LC-MS/MS)
This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.
Digital data review may have taken place remotely by qualified NMS staff utilizing a secure VPN connection for some or all of the reported results. This is in accordance with and follows CLIA regulations.
Testing performed at NMS Labs, Inc.
200 Welsh Road
Horsham, PA 19044-2208
CLIA 39D0197898

| VERIFIED/REPORTED DATES | | | | |
|-------------------------------|---------------|------------------|------------------|-------------------|
| Procedure | Accession | Collected | Received | Verified/Reported |
| Diazoxide Quant, Serum/Plasma | 23-324-128346 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00 |

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical