

Client: Example Client ABC123 123 Test Drive Salt Lake City, UT 84108 UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB 2/4/1973 Male Gender:

Patient Identifiers: 01234567890ABCD, 012345

Visit Number (FIN): 01234567890ABCD **Collection Date:** 00/00/0000 00:00

Boron Quantitative, Serum or Plasma

ARUP test code 0091330

Boron Quantitative, Serum or Plasma

310 mcg/L Н

Serum or Plasma

Reporting Limit: 200 mcg/L

Normally: Less than 100 mcg/L. Analysis by Inductively Coupled Plasma/Optical Emission Spectrometry (ICP/OES) Specimens for elemental testing should be collected in

certified metal-free containers. Elevated results for elemental testing may be caused by environmental contamination at the time of specimen collection and should be interpreted accordingly. It is recommended that unexpected elevated results be verified by testing another specimen in a trace metal free

container.

This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug

Administration.

Auministration.
Digital data review may have taken place remotely by qualified NMS staff utilizing a secure VPN connection for some or all of the reported results. This is in accordance with and follows CLIA regulations.
Testing performed at NMS Labs, Inc.
200 Welsh Road

Horsham, PA 19044-2208 CLIA 39D0197898

H=High, L=Low, *=Abnormal, C=Critical

4848



VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
Boron Quantitative, Serum or Plasma	23-305-147334	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Patient: Patient, Example
ARUP Accession: 23-305-147334
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 1/31/2024 10:00:16 AM

4848