

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 2/19/1961
Sex: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Propylene Glycol, Serum or Plasma

ARUP test code 0091538

Propylene Glycol, Serum or Plasma

None Det mg/dL

Serum
Reporting Limit: 5.0 mg/dL

Propylene glycol is used extensively as a preservative, emollient and vehicle for both oral and intravenous medications. Plasma levels of 80-200 mg/dL have been reported following oral ingestion of 41.4 grams every 12 hours. Analysis by Gas Chromatography (GC)
This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.
Testing performed at NMS Labs, Inc.
200 Welsh Road
Horsham, PA 19044-2208
CLIA 39D0197898

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Propylene Glycol, Serum or Plasma	22-111-401620	4/21/2022 11:30:00 AM	4/24/2022 12:15:56 PM	5/2/2022 5:17:00 AM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 22-111-401620
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 10/19/2022 7:23:15 AM