

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 2/27/1964
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Heroin - Screen with Reflex to Confirmation/Quantitation - Urine

ARUP test code 0091586

Heroin Screen, Urine

See note ng/mL

Urine
Reporting Limit: 300 ng/mL
Comment:
Based on this screening result, confirmation testing was performed. Refer to the confirmation test result(s).
Analysis by Enzyme Immunoassay (EIA)
This test was developed and its performance characteristics determined by NMS Labs. It has not been cleared or approved by the US Food and Drug Administration.
Testing performed at NMS Labs, Inc.
200 Welsh Road
Horsham, PA 19044-2208
CLIA 39D0197898

Heroin Metabolites, Free - Confirmation, Urine

ARUP test code 0096095

Morphine - Free

54 ng/mL

Urine
Reporting Limit: 25 ng/mL
Synonym(s): Heroin Metabolite
Analysis by High Performance Liquid Chromatography/
Tandem Mass Spectrometry (LC-MS/MS)

6-Monoacetylmorphine (6-MAM) - Free

None Det ng/mL

H=High, L=Low, *=Abnormal, C=Critical

Urine
 Reporting Limit: 5.0 ng/mL
 Synonym(s): Heroin Metabolite; 6-MAM
 6-Monoacetylmorphine is a metabolite of heroin.
 Analysis by High Performance Liquid Chromatography/
 Tandem Mass Spectrometry (LC-MS/MS)
 This test was developed and its performance
 characteristics determined by NMS Labs. It has not
 been cleared or approved by the US Food and Drug
 Administration.
 Testing performed at NMS Labs, Inc.
 200 Welsh Road
 Horsham, PA 19044-2208
 CLIA 39D0197898

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Heroin Screen, Urine	23-118-115494	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Morphine - Free	23-118-115494	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
6-Monoacetylmorphine (6-MAM) - Free	23-118-115494	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: