

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 10/6/1994  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**Drug Panel 9, Urine - Screen with Reflex to Confirmation/Quantitation**

ARUP test code 0092186

Amphetamines, Urn, Screen	PresumptivePos ng/mL	
	If the screen is PresumptivePos, then confirmation testing by mass spectrometry will be added. Additional charges will apply.	
Barbiturates, Urn, Screen	Negative ng/mL	(Ref Interval: Cutoff 200)
Benzodiazepines, Urn, Screen	Negative ng/mL	(Ref Interval: Cutoff 200)
Cocaine, Urn, Screen	Negative ng/mL	(Ref Interval: Cutoff 150)
Creatinine, Urine	83.5 mg/dL	(Ref Interval: 20.0-400.0)
Methadone, Urn, Screen	Negative ng/mL	(Ref Interval: Cutoff 150)
Opiates, Urn, Screen	Negative ng/mL	(Ref Interval: Cutoff 300)
Phencyclidine, Urn, Screen	Negative ng/mL	(Ref Interval: Cutoff 25)
Propoxyphene, Urn, Screen	Negative ng/mL	(Ref Interval: Cutoff 300)
THC, Urn, Screen	Negative ng/mL	(Ref Interval: Cutoff 50)
CDASU 9 Comments	See Note	

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at:

**INTERPRETIVE INFORMATION: Drug Panel 9, Urn, Scrn w/Rflx to Conf**

The absence of expected drug(s) and/or drug metabolite(s) may indicate non-compliance, inappropriate timing of specimen collection relative to drug administration, poor drug absorption, diluted/adulterated urine, or limitations of testing. The concentration at which the screening test can detect a drug or metabolite varies within a drug class. Specimens for which drugs or drug classes are detected by the screen are reflexed to a second, more specific technology (GC/MS and/or LC-MS/MS). The concentration value must be greater than or equal to the cutoff to be reported as positive. Interpretive questions should be directed to the laboratory.

Oxycodone results are reported with the opiates results. MDMA results are reported with the amphetamines results. The following opioids are not detected in this test: fentanyl, buprenorphine, meperidine, tramadol, and tapentadol. A comprehensive panel that includes these opioids is available or individual opioid testing can be ordered. Refer to aruplab.com for test information.

For medical purposes only; not valid for forensic use.

**Amphetamines, Urine, Quantitative**

ARUP test code 2010075

Amphetamine, Urn, Quant

>5000 ng/mL

Consistent with use of a drug containing amphetamine. May also reflect metabolism of methamphetamine, when methamphetamine is present. Amphetamine and methamphetamine exist in d- and l-isomeric forms. These forms are not distinguished by this test. Isomeric separation is available separately for an additional charge.

**INTERPRETIVE INFORMATION: Amphetamines, Urine, Quantitative**

**Methodology: Quantitative Liquid Chromatography-Tandem Mass Spectrometry**

**Positive cutoff: 200 ng/mL unless specified below:**  
Amphetamine 50 ng/mL

For medical purposes only; not valid for forensic use.

The absence of expected drug(s) and/or drug metabolite(s) may indicate non-compliance, inappropriate timing of specimen collection relative to drug administration, poor drug absorption, diluted/adulterated urine, or limitations of testing. The concentration value must be greater than or equal to the cutoff to be reported as positive. Interpretive questions should be directed to the laboratory.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

MDA, Urn, Quant

<200 ng/mL

**H=High, L=Low, \*=Abnormal, C=Critical**

MDEA, Urn, Quant <200 ng/mL

MDMA, Urn, Quant <200 ng/mL

Methamphetamine, Urn, Quant <200 ng/mL

Phentermine, Urn, Quant <200 ng/mL

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Amphetamines, Urn, Screen	24-081-133090	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Barbiturates, Urn, Screen	24-081-133090	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Benzodiazepines, Urn, Screen	24-081-133090	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Cocaine, Urn, Screen	24-081-133090	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Creatinine, Urine	24-081-133090	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Methadone, Urn, Screen	24-081-133090	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Opiates, Urn, Screen	24-081-133090	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Phencyclidine, Urn, Screen	24-081-133090	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Propoxyphene, Urn, Screen	24-081-133090	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
THC, Urn, Screen	24-081-133090	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
CDASU 9 Comments	24-081-133090	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Amphetamine, Urn, Quant	24-081-133090	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
MDA, Urn, Quant	24-081-133090	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
MDEA, Urn, Quant	24-081-133090	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
MDMA, Urn, Quant	24-081-133090	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Methamphetamine, Urn, Quant	24-081-133090	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Phentermine, Urn, Quant	24-081-133090	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: