

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 6/17/2001
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

Adrenal Steroid Quantitative Panel by HPLC-MS/MS, Serum or Plasma

ARUP test code 0092330

11-Deoxycortisol, HPLC-MS/MS	23.70 ng/dL	(Ref Interval: <=32.00)
After metyrapone stimulation: Greater than 8000 ng/dL		
REFERENCE INTERVAL: 11-Deoxycortisol, HPLC-MS/MS		
Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).		
Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS		
17-Hydroxyprogesterone, HPLC-MS/MS	35.50 ng/dL	(Ref Interval: <=206.00)
INTERPRETIVE INFORMATION for 17-Hydroxyprogesterone in females:		
Follicular 15 to 70 ng/dL		
Luteal 35 to 290 ng/dL		
REFERENCE INTERVAL: 17-Hydroxyprogesterone Qnt, HPLC-MS/MS		
Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).		
Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS		
17-Hydroxypregnenolone Quant, MS/MS, Ser	244 ng/dL H	(Ref Interval: <=226)
REFERENCE INTERVAL: 17-Hydroxypregnenolone Quant, MS/MS, Ser		
Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).		
Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS		
Pregnenolone	98 ng/dL	(Ref Interval: 15-132)

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

REFERENCE INTERVAL: Pregnenolone by MS/MS, Serum

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
11-Deoxycortisol, HPLC-MS/MS	20-150-132307	5/29/2020 8:04:00 AM	6/4/2020 5:25:50 AM	6/10/2020 6:13:00 PM
17-Hydroxyprogesterone, HPLC-MS/MS	20-150-132307	5/29/2020 8:04:00 AM	6/4/2020 5:25:50 AM	6/10/2020 6:13:00 PM
17-Hydroxypregnenolone Quant, MS/MS, Ser	20-150-132307	5/29/2020 8:04:00 AM	6/4/2020 5:25:50 AM	6/6/2020 7:26:00 AM
Pregnenolone	20-150-132307	5/29/2020 8:04:00 AM	6/4/2020 5:25:50 AM	6/6/2020 7:26:00 AM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 20-150-132307
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 2 of 2 | Printed: 1/13/2021 8:14:29 AM
4848