

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 1/5/1961
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

11-Deoxycortisol Quantitative by HPLC-MS/MS, Serum or Plasma

ARUP test code 0092331

11-Deoxycortisol, HPLC-MS/MS 25.10 ng/dL (Ref Interval: <=32.00)

After metyrapone stimulation: Greater than 8000 ng/dL

REFERENCE INTERVAL: 11-Deoxycortisol, HPLC-MS/MS

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
11-Deoxycortisol, HPLC-MS/MS	20-200-106823	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical