

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 6/20/1967
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

11-Deoxycortisol Quantitative by HPLC-MS/MS, Serum or Plasma

ARUP test code 0092331

11-Deoxycortisol, HPLC-MS/MS **12300.00 ng/dL H (Ref Interval: <=32.00)**

After metyrapone stimulation: Greater than 8000 ng/dL

REFERENCE INTERVAL: 11-Deoxycortisol, HPLC-MS/MS

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
11-Deoxycortisol, HPLC-MS/MS	22-024-122164	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: