

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB 12/31/1752
Gender: Unknown
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

17-Hydroxyprogesterone Quantitative by HPLC-MS/MS, Serum or Plasma

ARUP test code 0092332

17-Hydroxyprogesterone, HPLC-MS/MS

777.00 ng/dL

REFERENCE INTERVAL: 17-Hydroxyprogesterone Qnt, HPLC-MS/MS

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 20-205-403060
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 3 | Printed: 1/13/2021 8:14:44 AM
4848

Progesterone Quantitative by HPLC-MS/MS, Serum or Plasma

ARUP test code 2008509

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
17-Hydroxyprogesterone, HPLC-MS/MS	20-205-403060	7/23/2020 12:01:00 AM	7/23/2020 6:37:19 PM	7/24/2020 3:09:00 PM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 20-205-403060
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 3 of 3 | Printed: 1/13/2021 8:14:44 AM
4848