

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 11/20/2021
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

17-Hydroxyprogesterone Quantitative by HPLC-MS/MS, Serum or Plasma

ARUP test code 0092332

17-Hydroxyprogesterone, HPLC-MS/MS 2652.72 ng/dL H (Ref Interval: <=199.00)

INTERPRETIVE INFORMATION for 17-Hydroxyprogesterone in premature and normal male infants:
Premature (26 to 28 weeks) 124 to 841 ng/dL
Premature (29 to 35 weeks) 26 to 568 ng/dL
Full term Day 3 7 to 77 ng/dL
4 days to 2 months Less than 200 ng/dL

REFERENCE INTERVAL: 17-Hydroxyprogesterone Qnt, HPLC-MS/MS

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES				
Procedure	Accession	Collected	Received	Verified/Reported
17-Hydroxyprogesterone, HPLC-MS/MS	21-361-105589	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical