

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 3/11/1982
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 01/01/2017 12:34

17-Hydroxyprogesterone Quantitative by HPLC-MS/MS, Serum or Plasma

ARUP test code 0092332

17-Hydroxyprogesterone, HPLC-MS/MS 96.90 ng/dL (Ref Interval: <=206.00)

INTERPRETIVE INFORMATION for 17-Hydroxyprogesterone in females:

Follicular 15 to 70 ng/dL
Luteal 35 to 290 ng/dL

REFERENCE INTERVAL: 17-Hydroxyprogesterone Qnt, HPLC-MS/MS

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
17-Hydroxyprogesterone, HPLC-MS/MS	20-205-136318	7/23/2020 9:55:00 AM	7/25/2020 4:24:50 AM	7/27/2020 11:00:00 AM

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Tracy I. George, MD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 20-205-136318
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 1 of 1 | Printed: 1/13/2021 8:14:50 AM
4848