

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 2/26/2007
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

17-Hydroxypregnenolone Baseline Specimen

ARUP test code 0092335

17-Hydroxypregnenolone Baseline 254 ng/dL (Ref Interval: <=407)

REFERENCE INTERVAL for 17-Hydroxypregnenolone Baseline in girls:

Tanner Stage I	Less than or equal to 235 ng/dL
Tanner Stage II	Less than or equal to 367 ng/dL
Tanner Stage III	Less than or equal to 430 ng/dL
Tanner Stage IV and V	Less than or equal to 412 ng/dL

REFERENCE INTERVAL: 17-Hydroxypregnenolone Baseline

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

INTERPRETIVE INFORMATION: 17-Hydroxypregnenolone Baseline

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
17-Hydroxypregnenolone Baseline	20-230-118868	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical