

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 6/24/2020
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

17-Hydroxypregnenolone Baseline Specimen

ARUP test code 0092335

17-Hydroxypregnenolone Baseline 214 ng/dL

REFERENCE INTERVAL for 17-Hydroxypregnenolone Baseline in premature and normal infants:
Premature (26 to 28 weeks) 1219 to 9799 ng/dL
Premature (29 to 36 weeks) 346 to 8911 ng/dL
Full Term 1 to 5 months 229 to 3104 ng/dL
6 to 12 months 46 to 1499 ng/dL

REFERENCE INTERVAL: 17-Hydroxypregnenolone Baseline

Access complete set of age- and/or gender-specific reference intervals for this test in the ARUP Laboratory Test Directory (aruplab.com).

INTERPRETIVE INFORMATION: 17-Hydroxypregnenolone Baseline

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
17-Hydroxypregnenolone Baseline	20-180-100220	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: