

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 12/26/1979
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Drug Screen 9 Panel, Serum or Plasma - Immunoassay Screen with Reflex to Mass Spectrometry Confirmation/Quantitation

ARUP test code 0092420

Amphetamines, S/P, Screen	Negative ng/mL	(Ref Interval: Cutoff 20)
Methamphetamine, S/P, Screen	Negative ng/mL	(Ref Interval: Cutoff 20)
Barbiturates, S/P, Screen	Negative ng/mL	(Ref Interval: Cutoff 50)
Benzodiazepines, S/P, Screen	Negative ng/mL	(Ref Interval: Cutoff 50)
Buprenorphine, S/P, Screen	Negative ng/mL	(Ref Interval: Cutoff 1)
Cannabinoids, S/P, Screen	Negative ng/mL	(Ref Interval: Cutoff 20)
Cocaine, S/P, Screen	Negative ng/mL	(Ref Interval: Cutoff 20)
Methadone, S/P, Screen	Negative ng/mL	(Ref Interval: Cutoff 25)
Opiates, S/P, Screen	Negative ng/mL	(Ref Interval: Cutoff 20)
Oxycodone, S/P, Screen	Negative ng/mL	(Ref Interval: Cutoff 20)
Phencyclidine, S/P, Screen	Negative ng/mL	(Ref Interval: Cutoff 10)

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

Drug Screen Comments, Serum or Plasma

See Note

INTERPRETIVE INFORMATION: Drug Screen 9 Panel, Serum or Plasma - Immunoassay Screen with Reflex to Mass Spectrometry Confirmation/Quantitation

1. Methodology: Qualitative Immunoassay Screen
2. Drugs/Drug classes reported as "Positive" are automatically reflexed to mass spectrometry confirmation/quantitation testing. An immunoassay unconfirmed positive screen result may be useful for medical purposes but does not meet forensic standards.
3. The absence of expected drug(s) and/or drug metabolite(s) may indicate noncompliance, inappropriate timing of specimen collection relative to drug administration, poor drug absorption, or limitations of testing. The concentration at which the screening test can detect a drug or metabolite varies within a drug class. Specimens for which drugs or drug classes are detected by the screen are automatically reflexed to a second, more specific technology (mass spectrometry). The concentration value must be greater than or equal to the cutoff to be reported as positive. Interpretive questions should be directed to the laboratory.
4. For medical purposes only; not valid for forensic use.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Amphetamines, S/P, Screen	24-034-400596	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Methamphetamine, S/P, Screen	24-034-400596	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Barbiturates, S/P, Screen	24-034-400596	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Benzodiazepines, S/P, Screen	24-034-400596	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Buprenorphine, S/P, Screen	24-034-400596	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Cannabinoids, S/P, Screen	24-034-400596	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Cocaine, S/P, Screen	24-034-400596	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Methadone, S/P, Screen	24-034-400596	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Opiates, S/P, Screen	24-034-400596	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Oxycodone, S/P, Screen	24-034-400596	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Phencyclidine, S/P, Screen	24-034-400596	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Drug Screen Comments, Serum or Plasma	24-034-400596	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at:

ARUP LABORATORIES | 800-522-2787 | aruplab.com
500 Chipeta Way, Salt Lake City, UT 84108-1221
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example
ARUP Accession: 24-034-400596
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Page 3 of 3 | Printed: 2/8/2024 2:03:14 PM
4848