

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 11/9/2011
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Histoplasma Antigen Quantitative by EIA, Serum

ARUP test code 0092522

Histoplasma Antigen, Serum Interp

Detected * (Ref Interval: Not Detected)

INTERPRETIVE INFORMATION: Histoplasma Antigen Quantitative by EIA, Serum

Less than 0.19 ng/mL = Not Detected
0.19-60.0 ng/mL = Detected
Greater than 60.0 ng/mL = Detected (above the limit of quantification).

The quantitative range of this assay is 0.19-60.0 ng/mL. Antigen concentrations greater than 60.0 ng/mL fall outside the linear range of the assay and cannot be accurately quantified.

This EIA test should be used in conjunction with other diagnostic procedures, including microbiological culture, histological examination of biopsy samples, and/or radiographic evidence, to aid in the diagnosis of histoplasmosis.

Crossreactivity with Blastomyces dermatitidis, Coccidioides immitis and possibly Talaromyces marneffei have been observed with this EIA. Other clinically and geographically relevant endemic mycoses should be considered in the case of a positive test result.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

Histoplasma Antigen, Serum

60.00 ng/mL

H=High, L=Low, *=Abnormal, C=Critical

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Histoplasma Antigen, Serum Interp	19-231-107158	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00
Histoplasma Antigen, Serum	19-231-107158	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical