

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 9/20/1951
Gender: Male
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

P/Q-Type Voltage-Gated Calcium Channel (VGCC) Antibody

ARUP test code 0092628

P/Q-Type Calcium Channel Antibody **34.9 pmol/L H** (Ref Interval: 0.0-24.5)
Repeated and Verified

INTERPRETIVE INFORMATION: P/Q-Type Calcium Channel Antibody

0.0 to 24.5 pmol/L Negative
24.6 to 45.6 pmol/L Indeterminate
45.7 pmol/L or greater..... Positive

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
P/Q-Type Calcium Channel Antibody	21-360-104403	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: