

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 2/2/1975  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 00/00/0000 00:00

**P/Q-Type Voltage-Gated Calcium Channel (VGCC) Antibody**

ARUP test code 0092628

P/Q-Type Calcium Channel Antibody

0.0 pmol/L (Ref Interval: 0.0-24.5)  
INTERPRETIVE INFORMATION: P/Q-Type Calcium Channel Antibody

0.0 to 24.5 pmol/L ..... Negative  
24.6 to 45.6 pmol/L ..... Indeterminate  
45.7 pmol/L or greater..... Positive

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

| Procedure                         | Accession     | Collected        | Received         | Verified/Reported |
|-----------------------------------|---------------|------------------|------------------|-------------------|
| P/Q-Type Calcium Channel Antibody | 22-006-403637 | 00/00/0000 00:00 | 00/00/0000 00:00 | 00/00/0000 00:00  |

END OF CHART

H=High, L=Low, \*=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: