

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 11/4/1957  
**Sex:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 01/01/2017 12:34

**Babesia microti Antibodies, IgG and IgM by IFA**

ARUP test code 0093048

**Babesia microti IgG**

< 1:16 (Ref Interval: < 1:16)  
INTERPRETIVE INFORMATION: Babesia microti Antibody, IgG  
Less than 1:16 ..... Negative - No significant level of detectable Babesia IgG antibodies.  
1:16 ..... Equivocal - Repeat testing in 10-14 days may be helpful.  
Greater than 1:16 ..... Positive - IgG antibodies to Babesia detected which may indicate a current or previous infection.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

**Babesia microti IgM**

<1:20 (Ref Interval: <1:20)  
INTERPRETIVE INFORMATION: Babesia microti Antibody, IgM  
Less than 1:20 ..... Negative - No significant level of detectable Babesia IgM antibodies.  
1:20 ..... Equivocal - Repeat testing in 10-14 days may be helpful.  
Greater than 1:20 ..... Positive - IgM antibodies to Babesia detected which may indicate a current or recent infection.

This test was developed and its performance characteristics determined by ARUP Laboratories. It has not been cleared or approved by the US Food and Drug Administration. This test was performed in a CLIA certified laboratory and is intended for clinical purposes.

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Babesia microti IgG	22-148-102352	5/28/2022 8:42:00 AM	5/29/2022 12:53:54 PM	5/30/2022 3:00:00 PM

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at:

Babesia microti IgM

22-148-102352

5/28/2022 8:42:00 AM

5/29/2022 12:53:54 PM

5/30/2022 3:00:00 PM

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

*Unless otherwise indicated, testing performed at:*

**ARUP LABORATORIES | 800-522-2787 | aruplab.com**  
500 Chipeta Way, Salt Lake City, UT 84108-1221  
Jonathan R. Genzen, MD, PhD, Laboratory Director

Patient: Patient, Example  
ARUP Accession: 22-148-102352  
Patient Identifiers: 01234567890ABCD, 012345  
Visit Number (FIN): 01234567890ABCD  
Page 2 of 2 | Printed: 9/29/2022 2:43:42 PM