

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 4/7/1955  
**Gender:** Female  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 01/01/2017 12:34

**Babesia microti Antibody, IgM by IFA**

ARUP test code 0093050

Babesia microti IgM

**1:80 \* (Ref Interval: <1:20)**

INTERPRETIVE INFORMATION: Babesia microti Antibody, IgM

Less than 1:20 ..... Negative - No significant level of detectable Babesia IgM antibodies.  
1:20 ..... Equivocal - Repeat testing in 10-14 days may be helpful.  
Greater than 1:20 ..... Positive - IgM antibodies to Babesia detected which may indicate a current or recent infection.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement A: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Babesia microti IgM	19-242-142896	8/30/2019 11:59:00 AM	9/5/2019 4:53:31 AM	9/7/2019 11:15:00 AM

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at: