

Client: Example Client ABC123
123 Test Drive
Salt Lake City, UT 84108
UNITED STATES

Physician: Doctor, Example

Patient: Patient, Example

DOB: 6/12/1988
Gender: Female
Patient Identifiers: 01234567890ABCD, 012345
Visit Number (FIN): 01234567890ABCD
Collection Date: 00/00/0000 00:00

Dengue Fever Virus Antibody, IgG

ARUP test code 0093097

Dengue Fever Virus Antibody, IgG

14.26 IV H (Ref Interval: <=1.64)

INTERPRETIVE INFORMATION: Dengue Fever Virus Antibody, IgG

- 1.64 IV or less Negative-No significant level of detectable Dengue Fever Virus IgG antibody.
- 1.65 - 2.84 IV Equivocal-Repeat testing in 10-14 days may be helpful.
- 2.85 IV or greater Positive-IgG antibody to Dengue Fever Virus detected which may indicate a current or past infection.

Patients in the early stage of Dengue Fever Virus infection may not have detectable IgG antibodies, as the IgG response may take several weeks to develop. In the absence of detectable IgG, testing for IgM class antibody is strongly recommended. The best evidence for current infection is a significant change on two appropriately timed specimens, where both tests are done in the same laboratory at the same time.

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement D: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Dengue Fever Virus Antibody, IgG	20-100-120326	00/00/0000 00:00	00/00/0000 00:00	00/00/0000 00:00

END OF CHART

H=High, L=Low, *=Abnormal, C=Critical

Unless otherwise indicated, testing performed at: