

Client: Example Client ABC123  
123 Test Drive  
Salt Lake City, UT 84108  
UNITED STATES

Physician: Doctor, Example

**Patient: Patient, Example**

**DOB:** 11/30/1949  
**Gender:** Male  
**Patient Identifiers:** 01234567890ABCD, 012345  
**Visit Number (FIN):** 01234567890ABCD  
**Collection Date:** 01/01/2017 12:34

**Thyroxine, Free by Equilibrium Dialysis/HPLC-Tandem Mass Spectrometry**

ARUP test code 0093244

Free T4 by Equil Dialysis-TMS

**3.4 ng/dL H (Ref Interval: 1.1-2.4)**

INTERPRETIVE INFORMATION: FT4 ED-TMS

Test developed and characteristics determined by ARUP Laboratories. See Compliance Statement B: aruplab.com/CS

VERIFIED/REPORTED DATES

Procedure	Accession	Collected	Received	Verified/Reported
Free T4 by Equil Dialysis-TMS	18-026-122132	1/26/2018 12:15:00 PM	1/27/2018 6:06:01 PM	1/30/2018 3:11:00 PM

END OF CHART

**H=High, L=Low, \*=Abnormal, C=Critical**

Unless otherwise indicated, testing performed at: